### AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021 PG\_2308.2023

and NfL 2-565-20

24.04.2024

Date of issue (DMY):

**Level Wings** 

Manufacturer: Model:

Flex 24

Serial number:

Mustard/blue

## Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	80	Range of speed system [cm]	11.9
Minimum weight in flight [kg]	55	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.4	Total speed range with accessories [km/h]	21
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	20.7		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 24 months or every 150 flying hours	
Harness brand	Niviuk		
Harness model	Makan M	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: <b>None</b>	
Distance between risers [cm]	44		

10 11 12 13 14 15 18 19 20 21 22 23

0

### AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





#### Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021

and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG\_2309.2023

24.04.2024

**Level Wings** Flex 26

Blue/orange

# Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	95	Range of speed system [cm]	12.3
Minimum weight in flight [kg]	70	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.6	Total speed range with accessories [km/h]	21
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m <sup>2</sup> ]	22.4		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 24 months or every 150 flying hours	
Harness brand	Advance Thun AG		
Harness model	Success 4 M	Person or company having presented the	
		glider for testing: <b>None</b>	
Harness to risers distance [cm]	43	gider for testing. NOTIC	
Distance between risers [cm]	44		

10 11 12 13 14 15 19 20 21 22 23

0

### AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Compte 8 \* CH-1844 Villeneuve \* +41 (0)21 965 65 65

test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





#### Classification: A

In accordance with standards: EN926-1:2015, EN926-2:2013+A1:2021 PG\_2310.2023

and NfL 2-565-20 24.04.2024 Date of issue (DMY):

**Level Wings** Manufacturer:

Flex 28 Model:

Violet/Pink Serial number:

# Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight [kg]	115	Range of speed system [cm]	12.5
Minimum weight in flight [kg]	85	Speed range using brakes [km/h]	13
Glider's weight [kg]	4.9	Total speed range with accessories [km/h]	21
Number of risers	3+1	Range of trimmers [cm]	0
Projected area [m²]	24.1		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	every 24 months or every 150 flying hours	
Harness brand	Niviuk		
Harness model	Makan L	Person or company having presented the	
Harness to risers distance [cm]	41	glider for testing: <b>None</b>	
Distance between risers [cm]	48		

10 11 12 13 14 15 18 19 20 21 22 23

0